Date Sup Packing Slip: Invoice: Receipt:	plier: MAMUA Yes No Yes No Cash Cr	Wa Shi	Batch N Dart P/G ease Note Atta ybill Attached pment Compl 6 Inspection ork Order	o: Yes	No Marie	N/A N/A N/A
Discrepancies Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
Production/ Date Received/C Initial	Costing	neo-PORT			Loca	ation

Facture Invoice

543552

Date de la facture Invoice Date

11/14/11

1

VENDU À / SOLD TO

DART AEROSPACE LTD

EXPÉDIÉ À / SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

PAGE.:

1270 ABERDEEN STREET

HAWKESBURY

ON CAN K6A 1K7

HAWKESBURY

290 Chemin du Tremblay Boucherville QU J4B 5X9 TEL (514) 527 9153 FAX (450) 641 4357

ON CAN K6A 1K7

EXPEDIÉ PAR/SHIP VIA			F.A.B./ F.O	В.		Q.S.T./T.V.Q. G.S.T. R1372	. 1016343044 TQ0001 LE	-
TST OVERLAND	#222212		ВО	JCHERVILLE	Name of the last o	G.S. I. R.1372	304347	
VOTRE N ^o de comman		VENDEUR/SALESPERSON		MARMON / KEYSTO	ONE #	Nº DETAXE		ericativisaticatoriatoria, perunerio acadatoriatoriatoriatoriatoriatoria.
			***	16487	HARD SOPONOM	PROVINCIALE	6122-5207	
15362		GHI		10407		PROVINCIAL TAX NO		
COMMANDÉE/ ORDERED		DESCRIPTION			QUANTITÉ EXPÉD SHIPPED QUANT	IER/ ITY	PRIX À L'UNITÉ! UNIT PRICE	MONTANT/ AMOUNT
420 EM	ALUMINUM SMLS TUBE				432 FT	1	2.220/FT	959.0
432 FT	ATS .375 .0	20 00001			29 LBS	1		
					36 Piece	es		
	Cust. part#.: M6061	T6T0.375W.058		200				
		M BGG BIDD 3/03010 3W	חת מס ת/ א	T 220/400				
100 50	STAINLESS STEEL SEA SMLS TUBE 304L 1	MLESS TUBE A/SA213 AW,	A/P,OD PO	L.320/400				
100 FT	1	72 A .033 A213 35 304L			100 FT		1.030/FT	103.0
				DOGILANDO	17 LBS			
					5 Piec	es		disability and the second seco
	Cust. part#.: M304T	RO.500W.035		SALAN PARA				
	STAINLESS STEEL SEA	MLESS TUBE A/SA213 AW,	A/P,OD PO	L.320/400				
80 FT	SMLS TUBE 304L 3		, .		•			/
	STS .750 .0	49 304L		Management	80 FT		1.920/FT	153.
					29 LBS			
					4 Piec	es		
	Cust. part#.: M304T	RO.750W.049						
	4 S.C.							
								ALL ALL SAME
				A SOLUTION OF A				
	acceptance of the second secon			00.070CT				a but
	a. a. J.							
				, and a second			ENTERED	NOV 1 R 20
				And the second				10 20
	The second secon			AND THE PROPERTY OF THE PROPER				
	Energy Surcharge						l tes	13.
	RE ORIGINALE / ORIGINA URS TERMS NET 30 DAYS	AL INVOICE VEUILLEZ CONSULTER NOTR	e sitë interne	Т			GST. HST	159.
TERMES: NET A 30 JO PLUS 2% PAR MOIS SUR COMPTES EN	PLUS 2% PER MONTH ON ALL OVERDUE ACCOUNTS	WWW.mikasnada.com/FOUR LE FOR CONEXTIONS OF SALES	S CONDITIONS I	XE VENTE			TAXE PROVINCIAS	Ψ
SOR COMPLESER SOUFFRANCE		WEB PAGE www.micanada.c	om				PROVINCIAL TAX	
	LE RÈGLEMENT DE	CETTE FACTURE EST EXIGIBI INVOICE IS DUE BY	LE AU PLUS	TARD LE	10/14/0011			1,388.
	Services de distribut				12/14/2011			P 1,300.

Purchase Order Receipt Listing

Wednesday, November 16, 2011 8:45:25 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO15362 Receipt Dates from 11/16/2011 to 11/16/2011 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp	Project ID	Project ID Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Reject Qty	Book Amt
endorID\Vendo	VendorID\Vendor Name PO15362 1		001 061T6T0	Marmon/Keystone Canada Ltd375W.0 f	11/10/2011 11/16/2011	1/16/2011	432.0000	\$2.22	0.000	0	\$959.04
	8 N		58 6061-T6 RD Tube .375 x.058W 119644	Tube f	432.0000	DESJ02		\$959.04	0.0000	0	
	% %		M304TR0.500W.035 f 304 RD Tube .500 x f .035W	0W.035 f 5.500 x f	11/10/2011 11/16/2011 100.0000 DESJ02	1/16/2011 DESJ02	100.0000	\$1.03	0.0000	00	\$103.00
	3 No		119644 M304ŤR0.750W.049 f 304 RD Tube .750 x f 049W	50W.049 f 2.750 x f	11/10/2011 11/16/2011 80.0000 DESJ02	11/16/2011 DESJ02	80.0000	\$1.92 \$153.60	0.0000	0	\$153.60
			119644					Total	Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity: Total Receipt Value:	Duantity: O U/M): Duantity: ot Value:	0.0000 0.0000 0.0000 \$1,215.64

0.0000

Total Balance Due Quantity:

منتزنے

شرك

25-



290 Chemin du Tremblay Boucherville QU CAN J4B 5X9 TEL. 514/527-9153

FAX. 450/641-4357

PAGE..: 1 Order: 16487

75

Date..: 11/14/2011

PACKING SLIP

DART AEROSPACE LTD 1270 ABERDEEN STREET

SOLD TO:

SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

HAWKESBURY ON CAN K6A 1K7

HI ST	P VIA OVERLAND #	F.O.B. BOUCHERVILLE	<u>SALESPER</u> G. Dulud		JR ORDER NO.
	Ordered	Description	Number Pieces	Quantity Shipped	Back Ordered
		Fax all papers to Linda Lacelle 613-632-1053 re	v:01/11 GD		
L	432 /FT	ALUMINUM SMLS TUBE ATS .375 .058 D6061 Tariff Number: 7608.20.00.90 Cust. part#.: M6061T6T0.375W.058 HT# 496997 Total.	36	432/FT 432/FT	
2	100 /FT	STAINLESS STEEL SEAMLESS TUBE SMLS TUBE 304L 1/2 X .035 A213 STS .500 .035 304L Tariff Number: 7304. Cust. part#:: M304TR0.500W.035 HT#: YX1004-364 Total.	<u>5</u>	100/FT 100/FT	
3	80 /FT	STAINLESS STEEL SEAMLESS TUBE SMLS TUBE 304L 3/4 X .049 A213 STS .750 .049 304L Tariff Number: 7304. Cust. part#:: M304TR0.750W.049 HT#: YT3253 Total.	4 4	80/FT	
				Juli	15

Customers.:	

No. of Bdls/Pieces

2 / 0

Total Weight....:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO15362

Purchase Order Date 11/03/11 PO Print Date 11/03/11

Page Number 1 of 1

Order From:

VC-MAR001

MARMON/KEYSTONE CANADA LTD. 290 CHEMIN DU TREMBLAY BOUCHERVILLE, QC J4B 5X9 CA

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

Terms Currency CAD

FOB

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA



Line Nb	r Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable Unit	Req Qty/ t of Measure	Ship Method	Unit Price	Extended Price
1 N	M6061T6T0.375W.058	6061-T6 RD Tube .375 x.058W	11/10/11	432.00	TST ground	\$2.2200	\$959.04
	σιΥ	2.000 11	Yes	f	<i>1</i> .	11/18	
		Special Inst:	MATERIAL: 6061-7 TUBING PER WW-T-700/6 OR AI OR QQ-A-200/8 OR QQ	MS 4080 OR A			
2 1	M304TR0.500W.035	304 RD Tube .500 x .035W	11/10/11 Yes	- 100.00	-	\$1.0300	\$103.00
		Special Inst:	MATERIAL: 304/3 ROUND TUBING AS PER ASTM A21 OR ASTM A269				
3	M304TR0.750W.049	304 RD Tube .750 x .049W	11/10/11 Yes	80.00		\$1.9200	\$153.60
		Special Inst:	SAME AS ABOVE		P	O Total:	\$1,215.64

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

cL

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

Change Date: 11/03/11

290 Chemin du Tremblay Boucherville QU CAN J4B 5X9

PAGE.:

Date.: 11/03/11

Quotation number.: 1-639067

E-mail: gdulude@mkcdn.com

SOUMISSION/QUOTATION

Territory: 16A

Telephone: 613 632 9577

ATTN.:

CHANTAL LAVOIE

Ship To:

Fax....: 613 632 1053

Sold To: DART AEROSPACE LTD

DART AEROSPACE LTD 1270 ABERDEEN STREET

1270 ABERDEEN STREET

ON CAN K6A 1K7

HAWKESBURY

ON CAN K6A 1K7

Ship Via

HAWKESBURY

F.O.B

Tel -514-527-9153 4232 Wats 1-800-361-8142 FAX -450-641-4357

Salesperson

Your Reference No.

TST OVERLAND #222212

BOUCHERVILLE

G. Dulude

Termes

Les prix et livraisons sont hasés sur la totalité de cette soumission. Les changements concernant la quantité ou la livraison peuvent exiger une révision de soumission. Nous nous réservons le droit d'ajuster nos prix de vente en conformité avec les coûts de l'usine, les frais de transport, les tarifs douaniers, les taxes fédérale et provinciale applicables à la date de livraison. Une variation dans les quantités livrées concordera à la pratique courante du vendeur. Toutes les commandes sont conditionnelles à l'approbation du département de crédit. Le client doit fournir une commande écrite non-annulable pour l'acceptation de cette soumission.

Pricing and delivery are based on the complete bill of Material. Change to quantities or delivery may require a revised quotation. Pricing and delivery, as quoted, are based on conditions prevailing at the time of quotation and are subject to review at time of order. Permissible variation in shipping quantities will be to the seller's standard practice. Orders resulting from quotation are subject to our credit approval. The Customer is to supply a written noncancellable order to accept this quotation.

Nous vous remercions de votre demande de prix et il nous fait plaisir de vous soumettre les renseignements. / We thank you for your inquiry and take pleasure in quoting on your requirements as follows:

Quantité/ Quantity	Description	Jours Livraison Days	Prix Pricing
ine - 1 432 FT	ALUMINUM SMLS TUBE T6 DRAWN B-210 ATS .375 .058 D6061 Livraison: 5/6 jours ouvrables J'ai trouve cette quantite chez un fo	l 2.220 ournisseur US	/FT 959.04
	Energy Surcharge		13.46
axes applicables: E arifs douaniers/ Du	n sus/ All applicable taxes Extra: ty	Montant total/ Total Amount	
	en fonds canadiens sauf si precise autrement/ Canadian Dollars unless otherwise stated.	Poids total/ Total weight	: 29.4 lbs



PAGE .:

Date.: 11/02/11

Quotation number.: 1-638960

290 Chemin du Tremblay Boucherville QU CAN J4B 5X9

Tel -514-527-9153 4232 Wats 1-800-361-8142 FAX -450-641-4357

E-mail: gdulude@mkcdn.com

SOUMISSION/QUOTATION

Territory: 16A

Telephone: 613 632 9577

Fax....: 613 632 1053

ATTN.: Sold To: CHANTAL LAVOIE

DART AEROSPACE LTD 1270 ABERDEEN STREET Ship To:

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY

ON CAN K6A 1K7

HAWKESBURY

ON CAN K6A 1K7

Ship Via

TST OVERLAND #222212

F.O.B BOUCHERVILLE Salesperson

Your Reference No.

G. Dulude

Les prix et livraisons sont basés sur la totalité de cette soumission. Les changements concernant la quantité ou la livraison peuvent exiger une révision de soumission. Nous nous réservons le droit d'ajuster nos prix de vente en conformité avec les coûts de l'usine, les frais de transport, les tarifs douaniers, les taxes fédérale et provinciale applicables à la date de livraison. Une variation dans les quantités livrées concordera à la pratique courante du vendeur. Toutes les commandes sont conditionnelles à l'approbation du département de crédit. Le client doit fournir une commande écrite non-annulable pour l'acceptation de cette soumission.

Pricing and delivery are based on the complete bill of Material. Change to quantities or delivery may require a revised quotation. Pricing and delivery, as quoted, are based on conditions prevailing at the time of quotation and are subject to our credit approval. The Customer is to supply a written non-subject to review at time of order. Permissible variation in shipping quantities will be to the seller's standard practice. Orders resulting from quotation are subject to our credit approval. The Customer is to supply a written non-subject to our credit approval. cancellable order to accept this quotation.

Nous vous remercions de votre demande de prix et il nous fait plaisir de vous soumettre les renseignements. / We thank you for your inquiry and take pleasure in quoting on your requirements as follows:

	Quantité/ Quantity	Description	Jours Livraison Prix Days Pricing
ine`- 1	1 00 FT	STAINLESS STEEL SEAMLESS TUBE A/SA213 AW,A/ STS .500 .035 304L stock	TP,OD PO 1 1.030/FT 103.0
ine -	2 80 FT	STAINLESS STEEL SEAMLESS TUBE A/SA213 AW,A/ STS .750 .049 304L stock	/P,OD PO 1 1.920/FT 153.6
		Nous n'avons pas d'aluminium 3/8 x .058 ne tenons pas de l x .049 (ni 304,ni 31	
		Energy Surcharge	13.46

Taxes applicables: En sus/ All applicable taxes Extra: Montant total/ Tarifs douaniers/ Duty Total Amount...: 270.06 Poids total/ Les prix soumis sont en fonds canadiens sauf si precise autrement/ Total weight....: 46.8 lbs All prices quoted in Canadian Dollars unless otherwise stated.

Chantal Lavoie

From:

Linda Lacelle < llacelle@dartaero.com>

Sent:

November 2, 2011 8:34 AM

To:

'Chantal Lavoie'; Brigitte Golden

Subject:

pls order asap

Importance:

High

600' x M6061T6T0.375W.058

Thank You, Linda Lacelle Production Manager Dart Aerospace Ltd Hawkesbury, ON Phone: 613 632 9577 Fax: 613 632 1053

Cell: 613 676 1655

• •					
M1010B0.500X03.000	7.56	0	49.3	12	
M1010S20GA	0.217368421	0	126.7	32	
M1018R0.375	2.809473684	0	8.6	6	
M174B0.500X02.000	4.74E-05	0	49.7651	20	
M174B1.250X02.000	10.81157895	0	39.172	20	
M174B1.500X02.250	3.853547368	0	22.2709	20	
M174B2.500X1.250	1.631578947	0	32.847	6	
M174PH-H900B2.500X02.500	3.26E-04	0	5.6098	0	
M174PH-H900B3.937X4.750	2.298228947	0	17	8	
M174PH-H900R1.000	6.245789474	0	21.2	4	
M174R0.750	4.754789474	0	24.994	20	
M2024T3S.040	8.696052632	0	102.318421	64	
M22759/16-229	1.263157895	0	176	100	
M303B0.750X1.500	7.91E-02	0	20.57	6	
M303B2.000X1.750	0.872842105	0	12.5	10	
M303H0.500	0.287921053	0	55.8795	12	
M303R0.313	0.208421053	0	20.15	12	
M303R0.500	68.75757895	0	344.866	20	
M303R0.625	55.38805263	0	348.167	. 6	
M303R0.750	50.83389474	0	152.846	60	
M303R1.000	4.452157895	0	21.164	12	est effective to
M303R3.000 a 304 R 3.000	0.784210526	0	0	0	48+ P4446-1
M304B0.250x0.500	98.11484211	0	1212.6427	60	
M304B0.250X4.000	17.78947368	0	36	8	
M304B0.375X03.000	1.772631579	0	11	6	
M304B0.500X2.500	169.7723684		91.087	12	-
M304B0.500X24.000	0.350874737	0	0	0	
M304EX0.75-16F	253.1539695	0	630.5661116	192	
M304R.250	1.052631851	0	8.14799943	12	
M304R0.375	19.19947368	0	56.478	40	
M304R1.000	1.542368421	0	51.825	12	
M304RO.750	37.54263158	0	61.743	24	
M304S18GA	271.8051579	0	575.305	32	
M304S26GA	1.718054817	0	94.8	32	
M304TR0.500W.035	75.65506009	0	155.6322723		10084
M304TR0.500W.049	25.881632	0	319.480058	60	1000
M304TR0.750W.049	88.80784211	0	252.11913		80 bt
M304TR0.750W.120	28.16842105	0	91.05000027	24	
M304TR1.000W.049	0.526315211	0	9.986315		4064
M304TS0.500W.049	133.1792184	0	738.0621658	200	
M304TS0.750W.049	265.3934486	0	418.5906239	120	
M304TS0.750W.065	84.49544272	0	506.7499491	200	
M316TR1.00W.120	0.121842105	0	17.375	24	
- M39029/63-368 · · ·	120	0	105	5	
M39029/64-369	40	0	120	10	
M4130NB0.500X03.000	49.93736842	0	161.083	40	
M4130NT0.373W.049	1.0104	0	16.4504	6	
3 /	1.0107	0	10.4304	0	

M6061T6T0.375W.058 X 3006+



PORÉMILE COMBRIGE ET ABREGEE DE CONNAISSEMENT SIMPLE - CONTRAT PERPEDITION DE MESSAGERUS.
ADOPTEE PAR LES CRIEMENS DE CHIN dous le classification (Canadian Prépir) Classification) et pouvant évit dépéndu à band régiment de partie en de la Company de la constitue de partie en de la Company de la Canadian Prépir Classification et pouvant évit dépéndu à band RONT NOIS LA JURISDECTRE DE LA COMMENSION DE MARCHATONISTES ET DES INDESACCIONS ET QUI I BRIGADA LA DIEMPERTANIE DE L'EXPÉRITABILE DE L'EXPÉ

PAGE .:

290 Chemin du Trembley Boucherville J4B 5X9 TEL (514) 527 9153 FAX (450) 641 4357

Shipping date....: 11/14/2011 Name of Carrier...: TST OVERLAND #222212 F.O.B..... BOUCHERVILLE

Telephone.....: 613 632 5200 DART AEROSPACE LTD 1270 ABERDEEN STREET 5362 Customer order .: HAWKESBURY ON CAN K6A 1K7 Si les trais sems payables d'advance couire qu estamper ich: / If Charges are to be propoled write or stamp here: Pieces/PCS Description du chargement et marques speciales/Description of shipments and special marks Poids/Weight Collect Fax all papers to Linda Lacelle 613-632-1053 rev:01/11 GD D1-ALUMINUM SMLS TUBE D6061 .375 .058 Recal/Received \$ 29.4 432 FT 11/14/2011 Cust. part# :: M6061T6T0.375W.058 Rev: ZZ Country of Origin: HT#: 49699 Doit etro credito sux frais sur les biens ci-contra. HT#: 496997 02-STAINLESS STEEL SEAMLESS TUBE SMLS TUBE 304L 1/2 X .035 A213 STS .500 .035 304L Agent on cainter/Agent or Ceatiler 3041 100 17.4 11/14/2011 Cust. part#.: M304TRO.500W.035 Rev: W2 Country of Origin: CHN HT#: YX1004-364 Par./Per. 5 A l'usage du voiturier/For carrier's usc 03-STAINLESS STEEL SEAMLESS TUBE SMLS TUBE 304L 3/4 X .049 A213 STS .750 .049 3041 Avances et en An dela Advance and or boyond \$ 19 80 FT 29.4 11/14/2011 Cust. part# .: M304TR0.750W.049 CPI Country of Origin: CHN HT#: YT3253 Divers/Misc. Suppl. Piece / \$ Suppl. Piece Suppl. Valent / \$ Suppl. Value Total/Total L'expediteur inscrit le montant (P.S.L.) Montant/Amount S P Frais/Fee 5 S Total/Total S L Valuation/Valuation Poids total/ Total weight Nombre de pieces a grandes dimensions / Bdls/Pieces Number of extra large pieces. Numero du conn/Order mimber Si le turiff l'exige indiquer le volume total, / Where required by builf shipper must complete the following.

| Volume in it cathest/ Total cubic feet | Poids taxer Dimensional weight 16487 Volume(pied cubes)/ Total cubic feet Dimensions/ Dimensions Signature du client/Customer Agent/ Transport Repoditour/Shipper



290 Chemin du Tremblay Boucherville QU CAN J4B 5X9 TEL. 514/527-9153 FAX. 450/641-4357

PAGE..: 1 Order: 16487 Date..: 11/14/2011

PACKING SLIP

SOLD TO:

SHIPPED TO:

DART AEROSPACE LTD 1270 ABERDEEN STREET

DART AEROSPACE LTD 1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

HAWKESBURY ON CAN K6A 1K7

HI ST	P VIA OVERLAND #	222212	F.O.B. BOUCHERVILLE	SALESPER G. Dulud	<u>SON</u> <u>YOU</u> e 153	R ORDER NO
	Ordered	_Description	L. L. L. M. L.	Number Pieces	Quantity Shipped	Back Ordered
		Fax all papers to L	inda Lacelle 613-632-1053	rev:01/11 GD		
Ļ	432 /FT	ALUMINUM SMLS TUBE ATS .375 .058 Tariff Number: 760 Cust. part#.: M60	61T6T0.375W.058 HT# 496997	1 <u>36</u>	432/FT 432/FT	,
	100 /FT	STAINLESS STEEL SEAR SMLS TUBE 3041 1/: STS .500 .035 Tariff Number: 730 Cust. part#.: M30	2 X .035 A213 304L 4.		100/FT 100/FT	
	80 /FT	STAINLESS STEEL SEAR SMLS TUBE 304L 3/4 STS .750 .049 Tariff Number: 730 Cust. part#.: M30	X 049 A213 304L 4.	4	80/FT	
				1	80/FT	
					·	

kt.m.	of	Rdls/Pieces
NO.	or	BOLS/Pieces

Total Weight....:

75

Customers.:

WLCS-QP-1724-06

YX1004-364 *

s 2-

MILL INSPECTION CERTIFICATE

CHANGSHU WALSIN SPECIALTY STEEL CO.,LTD. EN 10204 3.1

ADDRESS: 564 RENNOV ROAD, HAYYU TOWN, CHANGSHU CITY, JIANGSU PROVINCE, CHINA 215519		MADE IN CHINA HI		TEST PER ASTAL A	POMOTH:20FT	HACEMROI-33	REMARK: TRIBATION ASIA SAND SAND SAND ASSAND	TOTAL							0.500*0.035	ODC) «WI(")	(man)ing city	RESULTS/PRODUCT)	(endivid) surmised	SECTION	Did Name - Control	EL DENOS		COMMODITY: STADILESS STEEL SEAMLESS TUBING	<u>. </u>	٠.	CUSTOMER: N
OV ROAD, H	=	DING MAX 80	OM MERCU	A262, PRACTICE E			ID ASME SA								23-10#	3	2 60	 0.019	620.0	1240× (0, 835)		C		S TEEL S		201100	MARMONIKEYSTONE CANADA BIC.
NOT DAIN			RY CONTA	H			213-16/AST	150			1000				150		Secure	0.450	0.370	1, 000	L	Si		T SETIMA			APLICATE C
N CHANG		400kPOLISHED	MINATION	٧			STM A269-10	ļ	-							T	<i></i>	0.603	0620	2,000		\$		35		•	A A CANASA
SHUCTY,		Ð	•		. **	•		398						-	3400	H	1HORAW	0.029	0.027	0.045		P					ለ
IANGSU PI				Ė	ਨ <u>'</u> ਪੁ		<u>요 =</u>	242							242	Ц		0.000	0.001	0,030		s					
ROVINCE					ZTHE CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WA	٠	I WE KERERY CERTIFY THAT THE MATER				_				540/560 260v	M.	z a	10.019	Г	12,000	1.000	E.		1080	æ	වු	Ð
SIZ YNEK					FICATE SH		PCERTIFY) THE SPEC	-	_	. 7		-	-		150232	No.	74 YS	18.138	Ц	Ц	18,000	} : C:		GR ADE	CERTIFICATE NO.:	NDITION C	HEAT NO.:
					ALCHOLE	· •	THICATION								51/62		EF.	36	8	8	8		CHEMICA		Š	SIME CLO	196-1001XX
TEL: +86-512-52566260					e reprod		MATERIA						1		27/77		_				_	Z	CHEMICAL COMPOSITION (WT%)	-	201109	ED, ANN	F-364
					XICED EX		TDESCR					-	-	_			NESS FL					O	TTION (N		2011/05/05/2024/004	EALED, PI	
FAX: +86-512-52568023					CEPT N.F.		नक्ष्म व्यक्ष		.,						60G9	TEST	KARDNESS FLATTENERS FLARING					1	1%)			CONDITION COLD FINISHED, ANNEALED, PICKLED, PLAIN END	ļ
1,5089525-8	QUALITY		٠		HIIM TY		N REEN IN	·				1			GOOD	1531	FLARING					CHT.				APEND	
	QUALITY MANAGES				A SHILL LIN		WDE IN Y								0000	TEST.	i.c.					8					
	52	9	L.		WRITTEN		CORDA								2	SIZE	GRAIN					≥					•
		Den Jun			WITH APPROVAL OF THE COMPANY		ACE WITH THE R								201102-8A-037	191	1 44					٧					
		. 257	١.,		THE COMPANY	•	I WE HERBBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN BEEN MADE IN ACCORDANCE WITH THE RESILTS OF THE CONTRACT, AND CONFORM TO THE SPECIFICATION ABOVE.								i	isa.	нурвоятилс										ļ
							ODMTRAC					-			ŝ	TEST											
							T, AND								8		ULTRASONIC								٠.		



YT3Z53



SHANGHAI CRYSTAL PALACE-PIPE CO.,LTD

LAO GANG, PUDONG NEW AREA DISTRICT, SHANGHAL, CHINA MILL TEST CERTIFICATE

	ISO9001	ISO9001:2000;PED Material CERTIFICATE (No.:QAC0021058/A)	faterial CER	TIFICATE (No.:QAC00	21058/A)	DATE OF 1	DATE OF ISSUE: 2011/2/1
CUSTOMER: MARMON/KEYSTONE CANADA INC	YSTONE C	ANADA INC			CE	RTIFICATE N	CERTIFICATE NO. ;2010-11-9-B-4	4
P.O.NO.: BN7230					QI QI	ORDER NO. :21). :2010-11-009-B	
COMMODITY: STAINLESS STEEL SEAMLESS TUBING	STEEL SI	EAMLESS TU	BING		£	ADE: ASTM /	213-09b/ASME	GRADE: ASTM A213-09b/ASME SA213-07 TP304/TP304L
CONDITION: COLD FINISH / SOLUTION TREATED / PICKLED / PLAIN END / OD POLISHED 320 GRIT. HEAT NO.: YT3253	OLUTION TRE	ATED / PICKLED	/PLAIN END/	CC3HSI/TO4 DO	20 ORUT. HE	AT NO. :YT32	53	
CHEMICAL CONTENTS (WT%)	™)							
ELEMENTS	C	Min	P	S	Si.	ĸ	٠ ي	
SPECIFICATION	<0.035	< 2.00	<0.040	< 2.00 < 0.040 < 0.030 < 0.75 8.0~17.0	\$6.0.3s	80~170	18.0~20.0	

	ASSURANCE DEPARTMENT	URANCE	E	MANAGER OF QUALITY	NAGER (MA			- ;		INVOICE NO: YK-11-02-04	E NO: Y	INVOI
M-U				' ,	to the state of	7			 —	MILL TEST CERTIFICATE TO EN 10204/3 I	COUNTRY OF ORIGIN: CHINA MILL TEST CERTIFICATE TO F	EST OF O	MIL T
2011	MAR 1 0 2011				į	-			Ö	FREE FROM MERCURY CONTAMINATION	RCURY	ROM ME	FREE
EWED	OC REVIEWED		CO,LTD	SHANGHAI CRYSTAL PALACE PIPE CO,,UTD	TAL PAL	AI CRYS	SHANGH	5	X 1.5m/m	SOLUTION HEAT TREATMENT : 1050°C X (.5m/min	T TREALI	ION HEA	NO WE
		Y	COMPAN	THE WRITTEN APPROVAL OF THE COMPANY.	PROVAL	TTEN AL	THE WRI	· :	; ; ·	IC TEST TO ASTM A262 PRACTICE E	M A262 P	TOAST	IC TES
	THE PURCHASE ORDER OR CONTRACT 2.THE CERTIFICATE SHALL NOT BE REPRODUCED. EXCEPT IN FILL WITHOUT		E REPRO	THE PURCHASE ORDER OR CONTRACT 2.THE CERTIFICATE SHALL NOT BE RE	TE SHAI	RTIFICA		80-607	KASIMA 03	WALL THICKNESS TOLERANCE AS FER ASTM A269-08 IN COMPLIANCE TO NACE MR0175-2003	ETO NAC	APLIANC	N CO
TE TERMS OF	TESTED AND THE TEST RESULTS ARE IN COMPLIANCE WITH THE TERMS OF	COMPLIA	ARE IN	TESTED AND THE TEST RESULTS ARE II	E TEST	AND TH	TESTED		7	AS PER ASTM A213-09b/ASME SA213-07	213-095/4	CASTMA	ASPEI
(DRILLED HOLE)	75	OK		Q.	57.0	690	345		25	11-1-90	20	0.049	0.750 0.C
OK (DRILLED HOLE)	73	웆		OK	66.0	695	340	797	500	W10-12-12	20	0.035	0.500
TEST TO 6426 (100%)	≤80	TEST		TEST	% §§ §§	(Mpa) ≥515	(Mpa) ≥205	(gy)	Pieces	Bundle No.	Length (feet)	(inch)	O.D (inch)
EDDY	HARDNESS	FI ATTENING		FI ARING	TE	SI	0.2%YS	hojeW		!	CS .	Dimensions	
					ERTIES	L PROP	PHYSICAL PROPERTIES						,
	+	18.34	8.08	41	0,41	0.002	0.039		0.74	0.025	LE)	RESULTS (LADLE)	RESUI
	0.0	18.0~20.0	8.0~12.0	< 0.75 ₹		< 0.030	€ 0.040		<2.00	€0.035		SPECIFICATION	SPECI
		ro Cr	N	31 :	Si	S	P		Mo	C		SIN	ELEMENTS
		•		3		•				WT%)	CHEMICAL CONTENTS (WT%)	CAL CO	CHEM
-		13253	HEAT NO. :YT3		D 320 GRU	HSI 104 (IN END / OI	KLED/PLA	EATED / PIC	CONDITION: COLD FINISH / SOLUTION TREATED / PICKLED / PLAIN END / OD POLISHED 320 GRIT.	LD FINISH	TION: cc	COND
TP304/TP304L	M A213-09b/ASME SA213-07 TP304/TP304L	A213-09b/	GRADE : ASTM	GRAD			ည	TUBING	SEAMLESS	STEEL	COMMODITY: STAINLESS	S XIIdol	COMI
	9-B	:2010-11-009-B	NO.	ORDER								P.O.NO.: BN7230	P.O.NC
	11-9-B-4	CERTIFICATE NO. ;2010-11-9-B-4	FICATE I	CERTI				INC	CANADA	CUSTOMER: MARMON/KEYSTONE	ARMONÆ	MER: M.	CUST

¥ 11/6/11 10:1/ 1/34-/30-0//6 Fiduential Stathless Fibe Asken Lucz-MakhankeiSiune Canada inc 4/5



Control No: 89167

Precision Tube Company

A Musifer Industries Company 287 Wissahlokon Avenus North Wales, Permayivania 19454 Phone: (218) 998-5801 - Fax: (215) 688-0781

CERTIFICATION AND TEST REPORTS CUSTOMER PURCHASE ORDER NO. 8820 ITEM 13 CUST.ORD,NO. 24AU37500580001 323782 FRUDENTIAL STAINLESS PIPE L. PRUDENTIAL STAMLESS PIPE L 130 ESSEX AVENUE EAST SOLD 130 ESSEX AVENUE EAST TO TO AVENEL, NJ 07001 QUANTITY ORD. DESCRIPTION 2,860 FT DATE SHIPPED METAL - 6081 ALUM 10/24/07 TEMPER - TO SPEC - AMS-WW-T-700/8 ASTM-B-210-04 LENGTH - 12 FT LGTH TOL +.1250 IN -.0000 IN SHAPE - ROUND FINISH - STRAIGHT EXACT LENGTHS OD .3750 +.0030 -.0030 ID WALL .0580 +.0040 -.0040 MECHANICAL PROPERTIES

VISION
STREAMON
PORIN

41,156

16 Value of HARTSHEE! BAMPLE 6 EXPANSION TEST: FLATTENING TEST: MERCUROUS NITRATE TEST: FLARE TEST: MICRO EXAMINATION: NON-DESTRUCTIVE TESTS EDDY CURRENT TEST: PASS HYDROSTATIC PRESSURE TEST: ULTRASONIC TEST CHEMICAL COMPOSITION ALLOY: 6081 HEAT: TRACEABILITY #: 498997 RAW MATL VEND: PT11482 - KAISER ALUMINUM Si Mn Mg 0.80 C. Zn Other - Elements Al MIN. 0.40 0.04 Each Tot. Ren. MAX. 0.60 0.70 0.40 0.15 1.20 0.35 0,25 0.15 0.05 0.15 The hereby contributed the designing remain, are authority, this, the manufacture will the requirements of the share equalitatives are approximate given and that the origin. During the elementaristic policy of the foreign of the contribute of the foreign contribute of the forei

SY: Tony Kordbegli 19/24/0?

MARMON/KEYSTONE CANADA INC PO# • 16487GD PSP# - 562212

11/8/11 10:17 6732-750-0778 Prudential Stainless Pipe Karen Lutz→MARMON/KEYSTONE CANADA INC 5/5



remon of musical streamline co. North Wales, Pennsylvania 19454 PHONE: (216) 899-5801 - FAX: (216) 886-0761

770	<u>TBM 11</u> Deserta	OF 43 :					179			
TO USA	reer Nel, n	L STAINLE AVENUE E 3 07001	es pipe Ast	<u>L</u>	SHIP	30 E581	369 IAL STAT E AVENU NJ 0700	MLBSS E basy	1000919 PIPE	1, 42.76
2508.0	T S S P.	art – asi Ength –	EI ALUM	AM 2 5						3.2
	F. Ci	HAPE ~ RC INISH = 8 D .3750	i un d Traight b +			0				
JAMPLE #		MENGTH.	GTAPASTI (P.E.I.)	1.	ETCHEY	CAL CAL CAL CAL CAL CAL CAL CAL CAL CAL	POGOVE ANDRE	\$ 100 m	A.V.	
1		5,450	36,92		20.	0	7-118/12		0	M CALLE
EXPANSION TE MERCUROUS N	THATE TE		elsiseenseen es	7 4 1 11		PLATTENIN PLARE TES			······································	
EDDY CURRE HYDROSTATIC ULTRASONIC	nt test: Présour	passed			1.		!			
ALLOY #: 60	() ()	**************************************					Section			No.
Si	·	. Cu	Ma	No		TRACEABIL	AL		alement	1
MIN. Q.	46 8 (0.1 1.7 0.4	5 *	0.8	0:04 0:35	2n 0\25	0.15	E 40h	Total 0.15	Al Yeu,
						•			1	

MARMON/KEYSTONE CANADA INC PO# • 16487GD PSP# - 562212

PACKING COPYNIda Bonner

and inspection, the predict did not come injusticed contact with mercury or any of its compounds, nor with any mercury containing davise employing

a single boundary of containment,

.500- .035-

STS-

MILL INSPECTION CERTIFICATE









CHANGSHU WALSIN SPECIALTY STEEL CO.,LTD. EN 10204 3.1

MARMONKEYSTONE CANADA INC. 2011/5/3 STAINLESS TIEBL SEAMLESS TUBRING CC SI Mn P S NI CHEMICALE ON TO THE SHALL NOT BE REPRODUCED EXCEPT IN FURTHER ANAL SO. 4008/FOLLSHED. STAINLESS STEEL SEAMLESS TUBRING CC SI Mn P S NI CHEMICAL COARDOSTION (NT%) CONDITION (MT%) CASE PIECES WEIGHT TS 0.296 18.390 1000 10019 0.450 0.5033 0.029 0.000 10019 18.138 PIECES WEIGHT TS 0.296 196.000 10019 18.138 PIECES FT (kg) MPa MPa MPa MPa 196.000 1100 BREPRODUCED EXCEPT IN FURTHER FROM MERCURY CONTAMINATION 150 23-10# 100.000 242 CONTORM TO THE SPECIFICATION ABOVE. 150 23-10# LIDBRING CANADASO-10 CONTORM TO THE SPECIFICATION ABOVE. 150 240 400#FOLLSHEID 150 3000 242 CONTORM TO THE SPECIFICATION ABOVE. 150 27HE CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FURTHER AAS SO. 400#FOLLSHEID 150 400#FOLLSHEID 150 300# 242 150 27HE CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FURTHER AND A 400#FOLLSHEID 150 400#FOLLSHEID 150 400# 100 100 100 100 100 100 100 100 100					Y MANAGER	QUALITY	QUALITY	ומשפרה הוים	1 1	216610	A THE CITY OF THE		TOTAL VILLE		UNG MACA	MADE IN CHINA
MARIMONIKEYSTONE CANADA INC. 2011/5/3 C Si Mn P S	Oin Sun	On Si											ion No	ANIMAT ANIMATN)M MERCURY CO)ING HRB MAX 80	REE FR
MARMON/KEYSTONE CANADA INC. 2011/3/3 \$TAINLESS STEEL SEAMLESS TUBING C Si Mn P S O 0.035 1.000 2.000 0.045 0.00 O 0.035 0.370 0.620 0.027 0.00 O O 0.019 0.430 0.603 0.029 0.00 O O O O O O O O O O	UT THE WR				1 7	OTT WI	D EXCEPT IN F	EPRODUCE	NOT BE R	ATE SHAL	班 CERTIFIC			A ST	62, PRACTICE E	IN7061 TH:20FT PER ASTM A:
MARMON/KEYSTONE CANADA INC. 2011/5/3 STAINLESS STEEL SEAMLESS TUBING C Si Mn P S TON min 0.035 1.000 2.000 0.045 0.03 ODUCT) 0.019 0.450 0.603 0.029 0.00 CASE PIECES FT (kg) S-3-10# 150 3000 242 150 3000 242	N MADE IN ACCORDANCE WITH THE RESULTS OF THE CON	N MADE IN ACCORDANCE WITH THE KE	IN MADE IN ACCORD.	EN MADE IN	. 2	IN BEL	SCRIBED HERE	ATERIAL DE BOVE	AT THE MA	ERTIFY TH HE SPECIFI	E HEREBY C VFORM TO T	CQ	10	ASTM A269	0,ASME SA213-10	AARK: PER ASTM A213-1 "F MR 01-75
MARMONIKEYSTONE CANADA INC. 2011/5/3 STAINLESS STEEL SEAMLESS TUBING C Si Mm P S RO00 18,000 10,0												Ш	·3000	150		OTAL:
MARMONIKEYSTONE CANADA INC. CONDITION.COLD FINISHEEL																
MARMONIKEYSTONE CANADA INC. CONDITION. FLAT NO. YX1094-35									·							
MARMONIKEYSTONE CANADA INC. HEAT NO. YX1094-31					[]					1	+	1				
MARMONIKEYSTONE CANADA INC. HEAT NO. YX1094-31				+	-					ŀ	+	-			c.	
MARMONIKEYSTONE CANADA INC. 2011/5/3 STAINLESS STEEL SEAMLESS TUBING C Si Mn P S N/O 12,000 18,000 10,009 18,138 TON min 0,035 1,000 2,000 0,027 0,001 10,009 18,138 ODUCT) 0,019 0,450 0,650 0,029 0,000 10,019 18,138 C CASE PIECES WEIGHT TS 0,2% 1% 50,000 15,000				+	ı	T				T		-		,		
MARIMONIKEYSTONE CANADA INC. HEAT NO. YX1004-31	OD GOOD / 201102-BA-037 -/ GOOD	GOOD /	+	+	18	GOOD	GOOD	דרורך	61/62	S /	_	Ц	3000	150	23-10#	0.500*0.035
MARMONIKEYSTONE CANADA INC. 2011/5/3 STAINLESS STEEL SEAMLESS TUBING C Si Mn P S N/O COLEMICATE NO: 17 304L CHEMICAL C CHEMICAL C CHEMICAL C COLEMICAL C COLEMICAL C CHEMICAL C COLEMICAL C COLEMI	1001 0000	TEST SEE	1631	⊢	152		1631	HRB	%			Ц	귀	\{\bar{\}}		SIZE(mm)
MARMON/KEYSTONE CANADA INC. 2011/5/3 STAINLESS STEEL SEAMLESS TUBING C Si Mn P S 8 10N min 0.035 1.000 2.000 0.043 0.030 11 ODUCT) 0.033 0.370 0.620 0.027 0.001 11 ODUCT) 0.019 0.450 0.603 0.029 0.000 11	I.C. GRAIN Lot No. HYDROSTATIC CL	I.C. GRAIN Lot No.	I.C.		ARING	7	FLATTENING	HARDNESS			\dashv		WEIGHT	Sign		
MARMON/KEYSTONE CANADA INC. 2011/5/3 STAINLESS STEEL SEAMLESS TUBING STAINLESS STEEL SEAMLESS TUBING O														ŀ	0.010	COOLIGINOCO
MARMON/KEYSTONE CANADA INC. 2011/5/3 STAINLESS STEEL SEAMLESS TUBING STAINLESS TUBING C Si Mn P S 8 100 min P S 8 100 0.035 1.000 0.045 0.030 11 TON max 0.035 1.000 0.000 0.001 11				_						18.138	10.019	0.000	0.029	+	0.025	GESULIS (LAULE)
MARMON/KEYSTONE CANADA INC. 2011/5/3 STAINLESS STEEL SEAMLESS TUBING STAINLESS TUBING C Si Mn P S 8				- - -	1	T		-		18 300	10.090	0.00	0.037	╀	0.035	of CCII iciniicii ma
MARMONIKEYSTONE CANADA INC. 2011/5/3 STAINLESS STEEL SEAMLESS TUBING C Si Mn P S				-		T		+		18.000	8,000	200	200	╀		
MARMONIKE YSTONE CANADA INC. 2011/5/3 STAINLESS STEEL SEAMLESS TUBING	Cb+1a Co Al V	S	S	┿	12	1	13	╀	Мо	Ç	Z.	s	P	Mn	Н	FIEMENTS
MARMON/KEYSTONE CANADA INC. 2011/5/3 STAINLESS STEEL SEAMLESS TUBING		1	1	┪		1	(WT%)	MPOSITION	EMICAL CO							
MARMON/KEYSTONE CANADA INC. 2011/5/3						li			TP 304L		GRADE			STUBING	SS STEEL SEAMLES	COMMODITY: STAINLE
	END .	END	END	END	END	Ž), PICKLED, PL 4004	, ANNEALEI 20110505802	YXIUU4-36) FINISHED	TION:COLI	CONDI		NC.	E CANADA	RMONKEYSTON	CUSTOMER: MJ

ADDRESS: 55# RENMIN ROAD, HAIYU TOWN, CHANGSHU CITY, JIANGSU PROVINCE, CHINA 213319 TEL: +86-512-52566260 FAX: +86-512-52568027

WLCS-QP-T24-06

Q.C. Reviewed

STS

1000001 * BN/230 3/14/2011



SHANGHAI CRYSTAL PALACE-PIPE CO.,LTD

LAO GANG, PUDONG NEW AREA DISTRICT, SHANGHAI, CHINA

MILL TEST CERTIFICATE

,	EPARTMENT	ASSURANCE DEPARTMENT	MANAGER OF QUALITY	NAGER (MA			, i	04	INVOICE NO: YK-11-02-04	CE NO: Y	INVOI
172			•	- Taylor - T	,			<u>.</u>	MILL TEST CERTIFICATE TO EN 10204/3 I	MILL TEST CERTIFICATE TO E	TEST OF C	MI I
7011	MAK 10 2011			urur i				NOI	FREE FROM MERCURY CONTAMINATION	ERCURY	FROM MI	FREE
EWED	QC REVIEWED	CO.,LTD	SHANGHAI CRYSTAL PALACE PIPE CO	TAL PAL	IAI CRYS	SHANGI	ın	X 1.5m/min	NO WELD REPAIR WAS PERFORMED	AIR WAS	CION HEA	NO W
		OMPANY.	THE WRITTEN APPROVAL OF THE CO	PROVAL	ITTEN AI	THE WR	• ·	4	IC TEST TO ASTM A262 PRACTICE E	TM A262	TTOAS	IC TES
LL, WITHOUT	KCEPT IN FUI	2.THE CERTIFICATE SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT	LL NOT BE 1	TE SHAI	ERTIFICA	2.THE CI		03	IN COMPLIANCE TO NACE MR0175-2003	CE TO NA	MPLIANO	IN CO
IE LEMVIS OF	ACE WITH IT	ACT .	THE PURCHASE ORDER OR CONTRACT	ORDER C	CHASE	THE PILE	269-08	R ASTM A	WALL THICKNESS TOLERANCE AS PER ASTM A269-08	ESS TOL	THICKN	WALL
IN HAS BEEN	RIBED HERE	MATERIAL DESCRIBED HEREIN HAS BEEN	[1]	ERTIFY .	REBY C	1.WE HE	١	7	REMARKS: AS DEB ASTM A213-095/ASME SA213-07	746U-11CV	RKS:	REMARKS
OK (DRILLED HOLE)	75	OK	OK	57.0	690	345	8.4	25	11-1-90	20	0.049	0.750
OK (DRILLED HOLE)	73	0K	OK	66.0	695	. 340	797	500 _.	W10-12-12	20	0.035	0.500
TEST TO E426 (100%)	HRB ≤80	TEST	TEST	(%) ≥35	(Mpa) ≥515	(Mpa) ≥205	(kg)	Pieces	Bundle No.	Length (feet)	W.T (inch)	O.D (inch)
EDDY	HARDNESS	FLATTENING	FLARING	E	TS	0.2%YS	Weight		: :	15	Dimensions	
				ERTIES	L PROP	PHYSICAL PROPERTIES	1 11					
		8.08 18.34		0.41	0.002	0.039		0.74	0.025)LE)	RESULTS (LADLE)	RESUI
•	0	.0~12.0 18.0~20.0	< 0.75 8.0	\ <u>\</u>	< 0.030	< 0.040		€2.00	€ 0.035	۷.	SPECIFICATION	SPECI
		Ni Cr	Si]	7.5	S	P .		Mn	C		STN	ELEMENTS
					•				(WT%)	CHEMICAL CONTENTS (WT%)	ICAL CO	CHEM
		HEAT NO. :YT3253	_	D 320 GRU	D POLISHE	IN END / OI	KLED / PLA	EATED / PIC	CONDITION: COLD FINISH / SOLUTION TREATED / PICKLED / PLAIN END / OD POLISHED 320 GRIT.	OLD FINISI	TION: co	COND
TP304/TP304L	SME.SA213-07	GRADE : ASTM A213-09b/ASME.SA213-07 TP304/TP304L	GRADE:			<u>,</u>	TUBING	SEAMLESS	STEEL	COMMODITY: STAINLESS	ODITY:	COMN
	-В	NO.:2010-11-009-B	ORDER							0	P.O.NO.: BN7230	P.O.NC
	1-9-B-4	CERTIFICATE NO. :2010-11-9-B-4	CERTIFIC				INC	CANADA	CUSTOMER: MARMON/KEYSTONE	ARMON,)MER: M	CUSTO
2011/2/1	DATE OF ISSUE: 2011/2/1		ISO9001:2000 ;PED Material CERTIFICATE (No.:QAC0021058/A)	3 (No.:Q	TFICATI	ial CERT	ED Mater	:2000 ;PI	ISO9001	ACE	CRYSTAL-PALACE	CRY



Control No: 89167

Precision Tube Company

A Mueller Industries Company 287 Wissahickon Avenue North Weles, Permsylvania 19454 Phone: (215) 699-5801 - Fax: (215) 699-0761

CUSTON	ero music			on and		-, -,,,,	-		
		CHASE ORDER		ST.ORD.N	Q.		PRECIS	ON TUE	E P/N
	88	20 ITEM 13		323782			24A03750	0580001	
SOLD 1	30 ESSE	TIAL STAINLESS X AVENUE EAS NJ 07001		1 -	SHIP 130		L STAINL AVENUE I J 07001		EL.
QUANTIT	Y ORD.	7	DESCRIPTION	<u>-</u>		OTY.SHI	PPEN		ATE SHIPPED
	688 FT	SHAPE - ROU FINISH - STR OD .3750 + ID	ALUM AW-T-700/5 210-04 FT 1250 IN0000 IND AIGHT EXACT I	iN			80 FT		10/24/07
			MECH	IANICAL	PROPERT	IES			
SAMPL	£*	Tensile Hotoroth (P.2.1)	1/ELD STREAM (P.S.)	ant i	ELONGANO IN 2 INCHE (%)	SNT :	ROCKWI	4.i 188	AVERAGE GRAIN SIZE (INK.)
1	-	46,482	41,156		16				
MERCUR	OUS NIT	ISION TEST: PATE TEST: AMINATION:				NING TE LARE TE		s	
М			NON	DESTRU	CTIVE TE	STS			
		CURRENT TES	T: PASS	-DESTRU	CTIVE TE	STS			
	STATIC F	CURRENT TES PRESSURE TES TRASONIC TES	T: PASS T:	-DESTRU	CTIVE TE	STS			
HYDRO	STATIC F	RESSURE TES	T: PASS T: T:		CTIVE TES				
HYDROS	STATIC F UL 6061	PRESSURE TES TRASONIC TES HEAT:	T: PASS T: T: CHE	MICAL C TRAC RAW	OMPOSITI CEABILITY MATL VEN	ON #: 494 ID: PT	5997 11452 - KA		
HYDROS	STATIC F UL 6061	RESSURE TES TRASONIC TES	T: PASS T: T:	MICAL C TRAC RAW Cr	OMPOSITI EABILITY	ON #: 496	11452 - KA	USER AL	

MARMON/KEYSTONE CANADA INC PO# - 16487GD PSP# - 562212



NORTH WALES, PENNSYLVANIA 19454 PHONE: (215) 699-5801 - FAX: (215) 688-0781

CERTIFICATION AND TEST REPORTS

3	PTIC	Lot# 3699		M466110		24A05	750058000	8
007520) ITEM	11 OF 43		36996	• • •	36496-01	-1000919	1. 662,76 1
SOLD TO	ljo ess Avenel, JSA	IAL STAINLE EX AVENUE E NJ 07001	AST	SHIP	130 ESSEX AVENDL, NJ USA	AVENUE BAS	PIPE	
QUALITY	W Charles	200 P. CO.	A42.					
2501	B.000FT	METAL - 60 TEMPER - T SPEC - WW- PART - AST LENGTH - LGTH TOL SHAPE - RC FINISH - S OD .3750 ID WALL .0580	61 ALUM 6 T-700/6F AM 2 M-B-210-95 12 FT f 1250 IN - UND TRAIGHT EXACT + .004	LENGTHS	IN			
SAMPLE	4	TENBILE STRENGTH (F-8.1)	YIELD STRENGTH (P.E.I.)	49.24	ATION ACHES	ROCKWELL HARDNESS	AV GRA	ERAGE IN SIZE
1		45,450	36,928).0			(AL)
EXPANSIO MERCURO	N TEST: IUS NITRATI	TEST:			FLATTENING 1 FLARE TEST:			
								35 M 10 M 1
HYDROS		et: Passed Sound Test:	who is the		: , : · ·; : · ·	at at la second	or en green	·
145 96		CAR WAR				er in the second		NAMES OF THE PARTY
ALLOY #	6061	····			TRACEABILITY	The second second	and the second of the second o	- The Assertation of the Configuration

Other elements Si Сu Ыn MG Cr zn T1 Each Total Al 0.40 MIN. 0.15 0.8 0:04 rem, 0.8 0.7 0.40 MAX. 0.15 1.2 0.35 0\25 0.15 0.05 0.15

We hereby certify that the foregoing results are correct, that the material complies with the requirements of the above specifications and purchase order and that the test reports represent the actual attributes of the Items furnished on this order. During the manufacturing, testing and inspection, the product did not come into direct contact with mercury or any of its compounds, nor with any mercury containing device employing a single boundary of containment.

INSPECTOR

PACKING COPYNIda Bonner

MARMON/KEYSTONE CANADA INC PO# - 16487GD PSP# - 562212

P.O. Box 3030, Station A, Mississauga, Ontario L5A 353 G.S.T.# 144612489 Overfand Western International Inc.(OVEA) 3091 Rockefeller Avenue, Cleveland, Ohio 44115-3611 TST Overland Express 2153 Division of TCT Solutions LP. Use division de TST Solutions LP. DUNS No. 242148401 (OVLD) P/U Trailer- Unite Cuell L/H Trailer - Unite Route 750-2224608 16487 15362 11 14 11 Manifest From - Manifest de Consignee - Consignataire Bill of Lading No.- N°Connaisser Purchase Order No. - N°de Commande Y - A Shipper - Expéditeur DART AEROSPACE LTD MARMON KEYSTONE LTD MTLO MTL 1270 ABERDEEN STREET 290 CHEMIN DU TREMBLAY .00 HAWKESBURY, ON K6A 1K7 BOUCHERVILLE, PQ J4B 5X9 Valeur déclarée 0 01 BIII To - Facturer à Origin Carrier - Premier Transporteur O/C Pro No. - Nº Facture P/T D.J Beyond Carrier - Transporteur subs. Amount - Mo Pieces - Colls H.M. Description Weight - Polds Rate - Taux Charges - Frais 2 LSE ALUMINIUM TUBE 75 COLLECT TUBES EN ACIER RECOUVRIR EN TOUT TEMPS NE PAS UTILISER DE FOURCHES 613-632-5200 FUEL SURCHARGE COLLECT Printed on 11/15/2011 @ 06:43 ** COLLECT ** Total Pieces Coils total GST# 144612488 Total Weight Poids total Total Charges Frais totaux

Unit - Unité

ecting Carrier Please - Protect this Amount

Au transporteur suivant - Frais à protéger

Time in

Time Out

S/W INTACT

YES NO

Any loss or damage must be noted on pro bill at time of deliver otherwise consignee's signature will constitute clear receipt.

Toutes pertes du dommages doivent être notés sur le connais-sement au moment de la livraison, autrement la signature du consignataire constituera un necu final.

Driver-Chauffour

E & OE

Print Last Name

Received in Apparent Good Order- Reçu sans Avaire Apparente Date

COLLECT

C.O.D. Total P.S.L. Chèq

Cash or Certified Cheque Only - Driver Collect This Amount

sé ou argent comptant seulement - à percevoir par le chauffeu Terms: Net 7 Days, Overdue Balance Subject to Interest Charges Conditions:7 Jours, compte en Souffrance Sujet à Intérêts

Signature Copy - Copie de Signature

Carrler Code

Code du Transp.